

Pete/Mary - This copy for your file re: Joe's 10/10/79 memo on PCBs Disposal Contractor - Dy

CROSS REF. NO.

MS 747 2694

SEATTLE CITY LIGHT

# NONSTOCK MATERIAL REQUISITION

650-L (1-79)

MATERIAL CONTROL USE ONLY	ORDER NO.	DATE	ORDER NO.	DATE	ORDER NO.	DATE
------------------------------	-----------	------	-----------	------	-----------	------

TRANS.	WHSE NO.	ORDERED BY	APPROVED BY	CREW NO.	ORIGINATING ORG. UNIT	DATE
	1	Kennedy/Young	G.A. Mandapat	-	652	10/12/79

DELIVER TO (LOCATION)	PROGRAM ELEMENT	BUDGET ITEM	ORG. UNIT CHARGED	WORK ORDER/ACCT. NUMBER	LETTER
3613 - 4th Ave. South Seattle, WA 98134	5140	36	652	70349-02	-

QUANTITY REQUESTED	UNIT	ESTIMATED COST	DESCRIPTION	DASH NO.	QUANTITY DELIVERED	BACK ORDERED
1	EA	20,000 <sup>00</sup>	Provide Transportation and Disposal Service for polychlorinated byphenyl (PCBs) material and retired high voltage electrical equipment containing PCBs in accordance with the Federal Toxic Substances Control Act, Section 6(e)(1)(Pub. L. 94-469). See requested special contract provisions attached.  Suggested Sources:  Wes-Con, Inc. Box 564 Twin Falls, Idaho 83301  Resource Recovery Corporation 5501 - Airport Way South Seattle, WA 98108  Chem-Nuclear Systems Inc. P. O. Box 1866 Bellevue, WA 98009  PRIORITY II -- BY NOV 26, 1979  BIO REVIEW REQUESTED			

DISTRIBUTION:

WHITE - MATERIAL CONTROL  
CANARY - PACKING SLIP OR  
ORIGINATOR  
PINK - ORIGINATOR

FILLED BY	DATE	CHECKED BY	DATE	RECEIVED BY	DATE
-----------	------	------------	------	-------------	------

CTY0069428

SEA315842

## PURCHASE REQUISITION — CITY OF SEATTLE

PRIORITY #2

55412

DATE Oct 16, 1979	DEPARTMENT CITY LIGHT	DATE	BUYERS NAME	PURCHASE CONTRACT NO.
<input checked="" type="checkbox"/> ORIGINAL PURCHASE OR <input type="checkbox"/> PURCHASE CHANGE NO. <input type="checkbox"/>	ACKNOWLEDGMENT REQUIRED	TERMS		PAGE NO. OF
SUPPLIER	SUPPLIER'S CODE NO.	SHIP VIA	FOB DESTINATION FREIGHT PREPAID & ALLOWED <input type="checkbox"/>	
		SHIPPING TOLERANCE % OVER % UNDER	<input type="checkbox"/> F.O.B. FREIGHT PREPAID & ALLOWED	
		<input type="checkbox"/> FOR RESALE NOT SUBJECT TO WASHINGTON STATE SALES USE TAX	<input type="checkbox"/> F.O.B. PREPAY SHIPPING CHARGES AND ADD TO INVOICE—ENCLOSE CARRIERS BILL	
		IN PLANT ROUTING / COMMENTS	BUYERS LOG SHEET NO.	
SHIP TO MARK SHIPMENT FOR  3613 - 4th Ave South Seattle, WA 98134		NMR #2694 - Kennedy/Young SSC		

ESTIMATED UNIT PRICE	ITEM	QUANTITY	U/M	AR	DESCRIPTION	UNIT PRICE	TOTAL PRICE
20,000.	1	1	EA		PROVIDE TRANSPORTATION AND DISPOSAL SERVICE for polychlorinated byphenyl (PCB's) material and retired high voltage electrical equipment containing PCBs in accordance with the Federal Toxic Substances Control Act, Section 6(e)(1) (Pub. L. 94-469). See requested special contract provisions attached. Suggested Sources: (1) Wes-Con Inc (2) Chem-Nuclear Systems Inc Box 564 PO Box 1866 Twin Falls ID 83301 Bellevue, WA 98009 (3) Resource Recovery Corp 5501 - Airport Wy S. Seattle, WA 98108 500-410-5140--0360-6527-034902		

REQUIRED SCHEDULE										SHIPPING SCHEDULE									
TEM	QTY	MO	DA	YR	ITEM	QTY	MO	DA	YR	ITEM	QTY	MO	DA	YR	ITEM	QTY	MO	DA	YR
By: Nov 26, 1979																			

CFMS CODING BLOCK						AMOUNT OR %	AMOUNT		S I G N	ORDINANCE
AP	ORG UNIT	ACCOUNT	TASK	OPT.	PROJ OR W/A					

ORIGINATOR Kennedy/Young/Neault	TELEPHONE 3507	DEPT. APPROVAL <i>George Thompson</i>	BUDGET APPROVAL	REQUEST BID REFERRAL <input checked="" type="checkbox"/>
BUYER	PROCUREMENT MGR <input type="checkbox"/>	PURCHASING AGENT <input type="checkbox"/>	SUGGESTED SOURCES See Above	
BUYERS NOTES		BIDS WILL BE RECEIVED UP TO		

CTY0069429

SEA315843

Invitation to Bid - Disposal of Polychlorinated Biphenyls (PCBs)

Provide a complete disposal service for Polychlorinated Biphenyls (PCBs), a toxic material. PCBs will be received for disposal by the contractor's driver or agent in four possible forms; pure liquid contained in 55 gallon steel drums, miscellaneous materials such as earth or absorbant material contaminated with PCBs (sludge) in 55 gallon steel drums, leaking high voltage electrical equipment such as large capacitors, transformers or switchgear in 55 gallon steel containers and pallets of non-leaking PCBs filled electrical equipment such as capacitors, transformers or switchgear.

Satisfactory performance by the contrator under this contract shall require strict compliance with the Federal Toxic Substances Contract Act, Section 6 (e) (1), Public Law 94-469 and Title 49, Code of Federal Regulations Chapter I, Materials Transportation Bureau, Department of Transportation, Subchapter C, Hazardous Materials Regulations, Part 177;

Subpart B, Section 177.834 (a) thru (L)

Subpart B, Section 177.841

Subpart D, Section 177.853

Subpart D, Section 177.854

Subpart D, Section 177.860

Bidders shall be restricted to persons or corporate entities who own or totally control disposal sites certified by the Federal Environmental Protection Agency for the disposal of PCBs materials and sludge or equipment containing PCBs. Should a bidder not be certified for liquid PCBs, a subcontract arrangement may be presented with the primary bid for review by the City. If such an arrangement is presented, the contractor shall not be relieved of any insurance responsibilities by virtue of the subcontract arrangements.

It is contemplated that this contract will require the transportation and disposal of

CTY0069430

SEA315844

approximately 4-5 loads per year, as required, during the remainder of 1979, during 1980 and 1981; each load is estimated to consist of approximately 8 - 3'9" square pallets of capacitors or other items averaging 3'6" high and 4 - 55 gallon steel drums. The City will be neither obligated nor restricted by these estimates. The successful contractor will be notified when the first load will be ready for pick up with a three week leadtime.

All materials are to be picked up by the contractor or the contractor's agent at the Salvage Area of the South Service Center, 3613 - 4th Avenue South, Seattle, Washington, 98134, upon notification by the Chief Warehouser - Salvage. Prior to leaving the South Service Center premises, the contractor's driver or transportation agent's driver will furnish the Chief Warehouser - Salvage with an Acceptance Receipt for the load, detailing quantities of each item received and a Certification that the materials will be delivered to the contractor or to a disposal site which is certified by the Environmental Protection Agency. City Light will load the Contractor's or Agent's truck subject to the general direction of the driver.

Billing for each pick-up is to be a single bill directed to:

City Light Department

1015 - Third Avenue

Seattle, Washington 98104

Attention: Chief Warehouser - Salvage

South Service Center - A.

The bill is to detail charges by item showing transportation and disposal charges separately.

The Contractor shall assume ownership of all PCBs materials and equipment containing PCBs at the property line of the South Service Center.

Bidders will submit their bids only on the enclosed bid form, expressing their bids in terms of units shown together with insurance details as provided herein.

CTY0069431

SEA315845

The Contractor will take out and maintain during the life of the contract Bodily Injury and Property Damage Liability Insurance appropriate to the use of automotive vehicles in performance of this contract, including cover for sudden accidental discharge of pollutant materials.

The Contractor will also take out and maintain during the life of this contract Environmental Impairment Liability Insurance in an amount not less than One Million Dollars (\$1,000,000) per occurrence and a total of Two Million Dollars (\$2,000,000) in any one year covering the Contractor and the City of Seattle from any or all claims for Bodily Injury, Property Damage, and Impairment or diminution of any environmental right or amenity protected by law; said Liability Insurance to include protection against claims arising out of the use of automotive vehicles in the performance of this contract and liability arising from Environmental Impairment due to a sudden, unintended and unexpected happening.

The Contractor will provide the City (prior to performance under the contract) Certificates of Insurance appropriate to the foregoing insurance, said Certificates providing not less than ten (10) days notice to the City in the event of cessation of such insurance. The Certificate of Insurance for Environmental Impairment will specifically state that the City of Seattle is an Additional Insured thereunder, and will be accompanied by a copy of the Agent's request to the Insurer that said insurance policy be specifically endorsed as such.

Bidders will include the following information with their bids:

1. A description of the insurance which they have in force at the present time and a discussion of how they propose to modify their present coverage to comply with this contract if required.
2. A description of the preparations for shipping which the Contractor desires be performed on the disposable items prior to pick up. It is intended that these preparations will become a part of the bid evaluation and of any contract. Preparation for shipping clauses will not be changed

during the contract term except by edict of the EPA or Department of Transportation.

In compliance with the Invitation to Bid dated \_\_\_\_\_, 1979, and subject to all the terms and conditions thereof, the undersigned hereby offers and agrees to provide transportation and disposal services to the City of Seattle for the following toxic materials at the rates specified.

For the remainder of the year 1979:

PCBs Liquid	\$ _____ per 55 gal. drum.
PCBs Sludge, or other contaminated material:	\$ _____ per 55 gal. drum.
PCBs filled equipment, leaking:	\$ _____ per 55 gal. drum.
PCBs filled equipment (mostly capacitors) banded to 3'9" square pallets - average 3'6" high	\$ _____ per pallet.

For the year 1980:

PCBs Liquid	\$ _____ per 55 gal. drum.
PCBs Sludge, or other contaminated material:	\$ _____ per 55 gal. drum.
PCBs filled equipment, leaking:	\$ _____ per 55 gal. drum.
PCBs filled equipment (mostly capacitors) banded to 3'9" square pallets - average 3'6" high.	\$ _____ per pallet.

For the year 1981:

PCBs Liquid	\$ _____ per 55 gal. drum.
PCBs Sludge, or other contaminated material:	\$ _____ per 55 gal. drum.
PCBs filled equipment, leaking:	\$ _____ per 55 gal. drum.
PCBs filled equipment (mostly capacitors) banded to 3'9" square pallets - average 3'6" high.	\$ _____ per pallet.

Declaration by bidder as to shipping preparations to be made by City Light prior to pick up. (Attach separate statement if required)

Description of insurance coverages in force is attached hereto.

CTY0069434

SEA315848